CERTIFICATE OF COMPLIANCE (Part 1 of 2) OLTG-1-C

PROJECT NAME: PERRIS VALLEY BIG LEAGUE DREAMS - CONCESSION BUILDING — DATE: 1-7-10
PROJECT ADDRESS: 2155 TRUMBLE ROAD, PERRIS, CA 92570
PRINCIPAL DESIGNER LIGHTING: PITASSI ARCHITECTS, INC. — TELEPHONE: (909) 980-1361
DOCUMENTATION AUTHOR: LRA ENGINEERS — TELEPHONE: (951) 737-4564
Building Permit / Checked by State Enforcement Agency Use

GENERAL INFORMATION

DATE OF PLANS: 1-7-10 — OUTDOOR LIGHTING ZONE (✓ one): ☐ LZ1 ☐ LZ2 ☑ LZ3 ☐ LZ4

FUNCTION TYPE: ☑ OUTDOOR LIGHTING ☐ OUTDOOR SIGNS ☐ INDOOR SIGNS

PHASE OF CONSTRUCTION: ☑ NEW CONSTRUCTION ☐ ADDITIONS ☐ ALTERATIONS

STATEMENT OF COMPLIANCE

This Certificate of Compliance lists outdoor lighting system specifications need to comply with Title 24, Parts 1 and 6 of the California Code of Regulations. This certificate applies only to building lighting requirements.

The documentation preparer hereby certifies that the documentation is accurate and complete.

DOCUMENTATION AUTHOR: CIRILO G. REGALADO, JR. P.E. — SIGNATURE: Cirilo G. Regalado Jr. — DATE: 1-7-10

The Principle Lighting Designer hereby certifies that the proposed indoor lighting plans signs design represented in the set of construction documents is consistent with the other construction forms and worksheets, with the specifications, and with any other calculations submitted with this permit application. The proposed building has been designed to meet lighting requirements contained in the applicable parts of Sections 110, 116, 130 through 133, 146, and 149 of Title 24, Part 6. **Please ✓ one:**

☑ I hereby affirm that I am eligible under the provisions of Division 3 of the Business and Professions Code to sign this document as the person responsible for its preparation, and that I am licensed in the State of California as a civil engineer or electrical engineer, or I am a licensed architect.

☐ I affirm that I am eligible under the provisions of Division 3 of the Business and Professions Code by section 5537.2 or 6737.3 to sign this document as the person responsible for its preparation, and that I am a licensed contractor performing this work.

☐ I affirm that I am eligible under the provisions of Division 3 of the Business and Professions Code to sign this document because it pertains to a structure or type of work described as exempt pursuant to Business and Professions Code Sections 5537, 5538 and 6737.1.

(These sections of the Business and Professions Code are printed in full in the Nonresidential Manual.)

PRINCIPAL ENVELOPE DESIGNER NAME: CIRILO G. REGALADO, JR. P.E. — SIGNATURE: Cirilo G. Regalado Jr. — DATE: 1-7-10 — LIC #: E - 16914

INSTRUCTIONS TO APPLICANT OUTDOOR LIGHTING COMPLIANCE & WORKSHEETS (✓ box if worksheet is included)

For detailed instructions on the use of this and all Energy Efficiency Standards compliance forms, please refer to the Nonresidential Manual published by the California Energy Commission.

- ☑ OLTG-1-C — Certificate of Compliance. Required on all plans for all submittals for outdoor lighting. Part 2 of 2 may be incorporated in schedules on the plans.

  Either LTG-1-C or OLTG-1-C may be used for signs as follows:
  1. Use LTG-1-C if the project consists only of indoor signs
  2. Use LTG-1-C if the project consists of indoor lighting, and outdoor or indoor signs, but no other outdoor lighting
  3. Use OLTG-1-C if the project consists only of outdoor signs
  4. Use OLTG-1-C if the project consists of outdoor lighting, and indoor or outdoor signs, but no other indoor lighting
- ☑ OLTG-2-C — LIGHTING COMPLIANCE SUMMARY. Applicable Parts required for ALL outdoor lighting allowances (Except for Signs)
- ☑ OLTG-3-C — AREA CALCULATION WORKSHEETS. Applicable parts required for all outdoor area calculations.
- ☐ OLTG-4-C — SIGN LIGHTING COMPLIANCE. Required for all internally and externally illuminated signs, for both indoor and outdoor signs.

CERTIFICATE OF COMPLIANCE (Part 2 of 2) OLTG-1-C

PROJECT NAME: PERRIS VALLEY BIG LEAGUE DREAMS - CONCESSION BUILDING — DATE: 1-7-10

Lighting Schedules on Plans Show that Outdoor Lighting Meets Allowed Lighting Power

✓
- ☐ Lighting power allowances for general site illumination on OLTG-2-C Part 1 of 4
- ☑ Not Applicable
- ☐ Lighting power allowances for local enhancements or for security exceptions on OLTG-2-C Part 2 of 4
- ☑ Not Applicable
- ☑ Lighting power allowances for specific applications, other than vehicle service stations with canopies on OLTG-2-C Part 3 of 4
- ☐ Not Applicable
- ☐ Lighting power allowances for vehicle service station canopies on OLTG-2-C Part 4 of 4
- ☑ Not Applicable
- ☐ Sign lighting compliance on OLTG-4-C
- ☑ Not Applicable

Mandatory Measures on Plans Show that Outdoor Lighting Meets Outdoor Lighting Controls and Equipment
Include location on plans of Note Block for Mandatory Measure

✓
- ☐ Installed lighting power has been determined in accordance with § 130(b)1
- ☑ Not Applicable
- ☐ All permanently installed luminaires with lamps rated over 100 watts either have a lamp efficacy of as least 60 lumens per watt or are controlled by a motion sensor § 132(a)
- ☑ Not Applicable
- ☐ All Luminaires with lamps rated greater than 175 watts in hardscape areas, including parking lots, building entrances, canopies, and all outdoor sales areas meet the Cutoff Requirements of § 132(b)
- ☑ Not Applicable
- ☐ All permanently installed outdoor lighting meets the Control Requirements of § 132(c)1
- ☑ Not Applicable
- ☐ Building facades, parking lots, garages, canopies, and outdoor sales areas meet the Multi-Level Lighting Requirements of § 132(c)2
- ☑ Not Applicable

MANDATORY AUTOMATIC CONTROLS

CONTROL LOCATION (Room #, Area #, or Description)	CONTROL IDENTIFICATION	CONTROL TYPE (Auto Time Switch, Dimming, Photosensor, etc.)	SPACE CONTROLLED (Lists the location of controlled lights)	✓ If Control is for Daylighting	NOTE TO FIELD
ELEC/DATA RM.	-	AUTO. TIME SWITCH	FACADE/CANOPY		

LIGHTING COMPLIANCE SUMMARY (Part 3 of 4) OLTG-2-C

PROJECT NAME: PERRIS VALLEY BIG LEAGUE DREAMS - CONCESSION BUILDING — DATE: 1-7-10

Lighting Power Allowance for Specific Applications (TABLE 147-B) - Other Than Vehicle Service Station with Canopies

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
	Allowed Watts			Luminaire Description			Lamps/Ballasts				Design Watts				
Lighting Application Category (Table 147-B)	Gross Illuminated Area (ft²)	Allowed Watts per ft²	Allowed Watts (B x C)	Luminaire Type (Luminaire Code)	Description	Cutoff Classification	Lamp Type	Number of Lamps per Luminaire	Watts per Lamp	Number of Ballasts per Luminaire	Watts per Ballast	✓ Design Watts Control Device Installed	Design Watts (E x G)	Design Watts (H + I + J)	Allowed Watts (D or P)
NON-SALES CANOPIES	960	0.50	480		TYPE "HH"		MH	1	50	1	58	✓	7	408	408
CANOPIES															
BUILDING FACADES	2,212	0.35	775		TYPE "DD"		MH	1	50	1	58	✓	8	464	464

ILLUMINATED AREA CALCULATION WORKSHEET (Part 3 of 5) OLTG-3-C

PROJECT NAME: PERRIS VALLEY BIG LEAGUE DREAMS - CONCESSION BUILDING — DATE: 1-7-10

A. Outdoor Sales Lot Frontage and Sales Area

A	B	C	D	E	F	G	H
	If an Outdoor Sales Frontage allotment was used, subtract that area from the Gross Illuminated Area						
Gross Illuminated Area (ft²)	Mounting Height of Sales Frontage Luminaires (feet)	5 x B	Distance (in plan view) from frontage luminaire to first edge of Sales Lot	Sales Lot Frontage Length (feet)	Sales Frontage Area (C - D) x E (ft²)	Overlapping Areas of Another Application	Sales Lot Area A - F - G

Checklist:
- ☐ § 147(b) 1 B - Each portion of all illuminated areas has been assigned only one lighting application, and the applications are consistent with the actual use of the areas.
- ☐ § 147(b) 2 B - Measured in plan view, only illuminated sections of outdoor sales frontage areas that are immediately adjacent to the principal viewing location and unobstructed viewing length, and are within a 3 mounting heights of the frontage have been used. Luminaires qualifying for this allowance are located in plan view between the principal viewing location and the frontage outdoor sales.

B. Building Façade Area

A	B	C	D	E	F	G	H
				Area (ft²) to Subtract from the Gross Illuminated Area Do not double count any areas			
Designated Name and Orientation	Length	Height	Gross Area (B x C)	Areas covered by signs	Area for which luminaires is obstructed by other Objects and Area Not Illuminated	Sub Total (E + F)	Net Area Available for Façade Lighting (D - G)
EAST FACADE	172'-4"	12'-0"	868 SF.				868 SF.
WEST FACADE	172'-4"	12'-0"	868 SF.				868 SF.
NORTH FACADE	22'-4"	12'-0"	268 SF.				268 SF.
SOUTH FACADE	22'-4"	12'-0"	268 SF.				268 SF.
						Total	2,272 SF.

Checklist:
- ☑ § 147(b) 1 B - Each portion of all illuminated areas has been assigned only one lighting application, and the applications are consistent with the actual use of the areas.
- ☑ § 147(b) 2 A - Only facades areas that are illuminated without obstruction or interference, by one or more luminaires, have been used.

ILLUMINATED AREA CALCULATION WORKSHEET (Part 4 of 5) OLTG-3-C

PROJECT NAME: PERRIS VALLEY BIG LEAGUE DREAMS - CONCESSION BUILDING — DATE: 1-7-10

Ornamental lighting, Canopies, Vehicle Service Station Hardscape, and Outdoor Dining

A	B	C	D	E	F	G
		Areas (ft²) to Subtract from within Illuminated Area				
Lighting Application (Table 147-B)	Gross Illuminated Area of Application (ft²)	Areas between poles or luminaires that are greater than 3 mounting height distance (If Applicable)	Overlapping Areas of Another Application or Luminaire	Areas Obstructed By Sign or Other Structure	Sub Total (C + D + E)	Illuminated Area (B - F)
NON-SALES CANOPIES	960					960

Checklist:
- ☑ § 147(b) 1 B - Each portion of all illuminated areas has been assigned only one lighting application, and the applications are consistent with the actual use of the areas.
- ☐ § 147(b) 2 C - The area of ornamental lighting includes no more than the total area of the site external to buildings. Luminaires used for ornamental lighting employ lamps rated 150 watts or less, and are not used to determine LPD for general illumination.
- ☑ § 147(b) 2 D - Measured in plan view, the areas of illuminated canopies include the horizontal projection of the canopies.
- ☐ § 147(b) 2 F - The area of vehicle service station hardscape includes only illuminated hardscape areas beyond the horizontal projection of the canopy in plan view.
- ☐ § 147(b) 2 I - The area of outdoor dining area includes only illuminated hardscape areas used to serve and consume food and beverages.

CONCESSION BUILDING TITLE 24 OUTDOOR LIGHTING CALCULATIONS

CERTIFICATE OF COMPLIANCE (Part 1 of 4) LTG-1-C

PROJECT NAME: PERRIS VALLEY BIG LEAGUE DREAMS - CONCESSION BUILDING — DATE: 1-7-10
PROJECT ADDRESS: 2155 TRUMBLE ROAD, PERRIS, CA 92570
PRINCIPAL DESIGNER LIGHTING: PITASSI ARCHITECTS, INC. — TELEPHONE: (909) 980-1361
DOCUMENTATION AUTHOR: LRA ENGINEERS — TELEPHONE: (951) 737-4564
METHOD OF COMPLIANCE: AREA CATEGORY
Building Permit / Checked by State Enforcement Agency Use

GENERAL INFORMATION

DATE OF PLANS: 1-7-10 — BUILDING CONDITIONED FLOOR AREA: 1,400 S.F. — CLIMATE ZONE:

BUILDING TYPE: ☑ NONRESIDENTIAL ☐ HIGH RISE RESIDENTIAL ☐ HOTEL/MOTEL GUEST ROOM ☐ CONDITIONED SPACES ☐ UNCONDITIONED SPACES ☐ INDOOR/OUTDOOR SIGNS

PHASE OF CONSTRUCTION: ☑ NEW CONSTRUCTION ☐ ADDITION ☐ ALTERATION

METHOD OF COMPLIANCE

☐ PERFORMANCE ☐ COMPLETE BUILDING ☑ AREA CATEGORY ☐ TAILORED ☐ COMMON LIGHTING

STATEMENT OF COMPLIANCE

This Certificate of Compliance lists the building features and performance specifications need to comply with Title 24, Parts 1 and 6 of the California Code of Regulations. This certificate applies only to building lighting requirements.

The documentation preparer hereby certifies that the documentation is accurate and complete.

DOCUMENTATION AUTHOR: CIRILO G. REGALADO, JR. P.E. — SIGNATURE: Cirilo G. Regalado Jr. — DATE: 1-7-10

The Principle Lighting Designer hereby certifies that the proposed building design represented in the set of construction documents is consistent with the other construction forms and worksheets, with the specifications, and with any other calculations submitted with this permit application. The proposed building has been designed to meet lighting requirements contained in the applicable parts of Sections 110, 116, 130-132, 146, 148, & 149 of Title 24, Part 6.

☑ The plans & specifications meet the requirements of Part 6 (Sections 10-103a). ☑ The installation certificates meet the requirements of Part 6 (110-103-103a 3).

☐ The operation & maintenance information meet the requirements of Part 6 (10-103c).
Please check one: (These sections of the Business and Professions Code are printed in full in the Nonresidential Manual.)

☑ I hereby affirm that I am eligible under the provisions of Division 3 of the Business and Professions Code to sign this document as the person responsible for its preparation, and that I am licensed in the State of California as a civil engineer or electrical engineer, or I am a licensed architect.

☐ I affirm that I am eligible under the provisions of Division 3 of the Business and Professions Code by section 5537.2 or 6737.3 to sign this document as the person responsible for its preparation, and that I am a licensed contractor performing this work.

☐ I affirm that I am eligible under Division 3 of the Business and Professions Code to sign this document because it pertains to a structure or type of work described as exempt pursuant to Business and Professions Code Sections 5537, 5538 and 6737.1.

PRINCIPAL ENVELOPE DESIGNER NAME: CIRILO G. REGALADO, JR. P.E. — SIGNATURE: Cirilo G. Regalado Jr. — DATE: 1-7-10 — LIC #: E - 16914

LIGHTING MANDATORY MEASURES

✓ ☑ Indicate location on plans of Note Block for Mandatory Measure. EB-01

LIGHTING COMPLIANCE FORMS & WORKSHEETS (check box if worksheet is included)

☑ LTG-1-C, Parts 1 of 4 and 2 of 4	Certificate of Compliance. Part 1 of 4 and 2 of 4 are required for all submittals
☑ LTG-1-C, Parts 3 of 4	Certificate of Compliance. Part 3 of 4 are required only if Control Credits are claimed
☑ LTG-1-C, Parts 4 of 4	Certificate of Compliance. Part 4 of 4 submittal is required when lighting controls are installed
☑ LTG-2-C	Indoor Lighting Schedule
☑ LTG-3-C	Portable Lighting Worksheet
☑ LTG-4-C	Lighting Controls Credit Worksheet
☑ LTG-5-C	Indoor Lighting Power Allowance
☐ LTG-6-C	Tailored Method Worksheet
☐ LTG-7-C	Room Cavity Ratio Worksheet
☐ LTG-8-C	Common Lighting Systems Method Worksheet
☐ LTG-9-C	Low Voltage Track Lighting Worksheet
☐ OLTG-4-C	Signs (See OLTG-4-C Sign Worksheet in Chapter 6, Outdoor Lighting and Signs Chapter)

CERTIFICATE OF COMPLIANCE (Part 2 of 4) LTG-1-C

PROJECT NAME: PERRIS VALLEY BIG LEAGUE DREAMS - CONCESSION BUILDING — DATE: 1-7-10

INSTALLED INDOOR LIGHTING POWER FOR CONDITIONED AND UNCONDITIONED SPACES

		INSTALLED WATTS
INSTALLED LIGHTING, CONDITIONED SPACES (From LTG-2-C)	=	1,347
PORTABLE LIGHTING (From LTG-3-C)	+	
LIGHTING CONTROL CREDIT, CONDITIONED SPACES (From LTG-4-C)	-	164
CONDITIONED SPACE ADJUSTED INSTALLED LIGHTING POWER	=	1,295
INSTALLED LIGHTING, UNCONDITIONED SPACES (From LTG-3-C)		
LIGHTING CONTROL CREDIT, UNCONDITIONED SPACES (From LTG-4-C)	-	
UNCONDITIONED SPACE ADJUSTED INSTALLED LIGHTING POWER	=	

ALLOWED INDOOR LIGHTING POWER FOR CONDITIONED SPACES

✓
- ☐ COMPLETE BUILDING METHOD (from LTG-6-C)
- ☑ AREA CATEGORY METHOD (from LTG-5-C)
- ☐ TAILORED METHOD (from LTG-6-C)

ALLOWED LIGHTING POWER — ALLOWED WATTS: 1,245

ALTERNATE COMPLIANCE

✓
- ☐ PERFORMANCE METHOD
- ☐ COMMON LIGHTING SYSTEM (from LTG-8-C)

ALLOWED INDOOR LIGHTING POWER FOR UNCONDITIONED SPACES (From LTG-5-C): _____ Watts

MANDATORY LIGHTING SEGMENTS FOR INDOOR LIGHTING AND DAYLIT AREAS

MANDATORY INDOOR AND DAYLIGHTING AUTOMATIC CONTROLS

CONTROL LOCATION (Room #, Area #, or Description)	CONTROL IDENTIFICATION	CONTROL TYPE (Auto Time Switch, Dimming, Photosensor, etc.)	SPACE CONTROLLED (Lists the location of controlled lights)	✓ If Control is for Daylighting	NOTE TO FIELD
SEE EB-4.1	S1 OR S3	OCCUPANCY SENSOR	SEE EB-4.1		

CERTIFICATE OF COMPLIANCE (Part 3 of 4) LTG-1-C

PROJECT NAME: PERRIS VALLEY BIG LEAGUE DREAMS - CONCESSION BUILDING — DATE: 1-7-10

CONTROLS FOR CREDIT IN CONDITIONED AND UNCONDITIONED SPACES

CONTROL LOCATION (Room # or Desig.#)	CONTROL IDENTIFICATION	CONTROL TYPE (Occ. Sensor, Daylight, Dimming, etc.)	LUMINAIRES CONTROLLED TYPE	LUMINAIRES CONTROLLED # OF LUMINAIRES	NOTE TO FIELD
C101	S1	OCCUPANCY SENSOR	C, E	3, 5	
C102	S1	OCCUPANCY SENSOR	C	1	
C103	S1	OCCUPANCY SENSOR	C	1	
C104	S1	OCCUPANCY SENSOR	C	1	
C107	S1	OCCUPANCY SENSOR	C	1	
C108	S1	OCCUPANCY SENSOR	C	1	
C109	S1	OCCUPANCY SENSOR	C	1	
C110	S1	OCCUPANCY SENSOR	C, E	3, 5	

CERTIFICATE OF COMPLIANCE (Part 4 of 4) LTG-1-C

PROJECT NAME: PERRIS VALLEY BIG LEAGUE DREAMS - CONCESSION BUILDING — DATE: 1-7-10

Designer:

The form is to be used by the designer and attached to the plans. Listed below are all the acceptance tests for lighting systems. The designer is required to check the boxes by all acceptance tests that apply and list all equipment that require an acceptance test. If all equipment of a certain type requires a test, list the equipment description and the number of systems to be tested in parenthesis. The NU number designates the Section in the Appendix of the Nonresidential ACM Manual that describes the test. Also indicate the person responsible for performing the tests (i.e. the installing contractor, design professional or an agent selected by the owner). Since this form will be part of the plans, completion of this section will allow the responsible party to budget for the scope of work appropriately.

Building Departments:

Systems Acceptance: Before occupancy permit is granted for a newly constructed building or space, or a new space-conditioning system serving a building or space is operated for comfort use, all control devices serving the building or space shall be certified as meeting the Acceptance Requirements for Code Compliance. In addition a Certificate of Acceptance, MECH-1-A, Forms shall be submitted to the building department that:

A. Certifies plans, specifications, installation certificates, and operating and maintenance information meet the requirements of § 10-103(b) and Title 24 Part 6.

Test Description	Test Performed By:
✓ ☐ LTG-2-A: Lighting Control Acceptance Document • Occupancy Sensor Acceptance • Manual Daylight Controls Acceptance • Automatic Time Switch Control Acceptance Equipment requiring acceptance testing _____	
✓ ☐ LTG-3-A: Automatic Daylighting Controls Acceptance Document Equipment requiring acceptance testing _____	
_____	
_____	
_____	

INDOOR LIGHTING SCHEDULE (Part 1 of 2) LTG-2-C

PROJECT NAME: PERRIS VALLEY BIG LEAGUE DREAMS - CONCESSION BUILDING — DATE: 1-7-10

INSTALLED LIGHTING POWER FOR CONDITIONED SPACES

A	B	C	D	E	F	G	H	I	J
Luminaire		Lamps/Ballasts				Installed Watts			
Name	Type Description	Lamp Type	Number of Lamps per Luminaire	Watts Per Lamp	Number of Ballast per Luminaire	Watts per Luminaire	✓ If CED Defect	Number of Luminaires	Installed Watts (G x I)
A/AX	2X4' RECESSED	F32T8	3	32	2 (15)	85	✓	7	581
C	4' SURFACE	F32T8	2	32	1 (15)	54	✓	12	648
E	DOWNLIGHT	CFL	1	26	1	28	✓	6	168

PAGE TOTAL	1,347
BUILDING TOTAL (sum of all pages)	+
PORTABLE LIGHTING (From LTG-3-C)	+
CONTROL CREDIT (from LTG-4-C)	- 164
ADJUSTED ACTUAL WATTS	= 1,295

LTG. CONTROLS CREDIT WORKSHEET (Part 1 of 2) LTG-4-C

CONTROL CREDITS FOR CONDITIONED SPACES

PROJECT NAME: PERRIS VALLEY BIG LEAGUE DREAMS - CONCESSION BUILDING — DATE: 1-7-10

A	B	C	D	E	F	G	H	I	J
				DAYLIGHTING					
ROOM & ZONE ID CONDITIONED AREAS	LIGHTING CONTROL DESCRIPTION	PLAN REFERENCE	ROOM AREA (ft²)	WINDOW WALL RATIO	GLAZING EFFECTIVE VLT	SKYLIGHT EFFECTIVE APERTURE	WATTS OF CONTROL LIGHTING	LIGHTING ADJUSTMENT FACTOR	CONTROL CREDIT WATTS (H X I)
C101	OCC SENSOR	EB-4.1	240				246	0.2	-49
C102	OCC SENSOR	EB-4.1	75				54	0.2	-11
C103	OCC SENSOR	EB-4.1	54				54	0.2	-11
C104	OCC SENSOR	EB-4.1	50				54	0.2	-11
C107	OCC SENSOR	EB-4.1	55				54	0.2	-11
C108	OCC SENSOR	EB-4.1	51				54	0.2	-11
C109	OCC SENSOR	EB-4.1	47				54	0.2	-11
C110	OCC SENSOR	EB-4.1	242				246	0.2	-49

1) From Equation 148-A
2) From Table 148-A

PAGE TOTAL	164
BUILDING TOTAL	164

Enter in LTG-2-C: Lighting Control Credit

INDOOR LIGHTING POWER ALLOWANCE LTG-5-C

PROJECT NAME: PERRIS VALLEY BIG LEAGUE DREAMS - CONCESSION BUILDING — DATE: 1-7-10

ALLOWED LIGHTING POWER (Choose One Method)

COMPLETE BUILDING METHOD - CONDITIONED SPACES

BUILDING CATEGORY (From § 149 Table 149-B)	WATTS PER (ft²)	COMPLETE BLDG. AREA	ALLOWED WATTS

AREA CATEGORY METHOD - CONDITIONED SPACES

A	B	C	D
AREA CATEGORY (From § 149 Table 149-C)	WATTS PER (ft²)	AREA (ft²)	ALLOWED WATTS
KITCHEN, FOOD PREPARATION	1.6	420	672
OFFICE	1.2	51	61
ELECTRICAL, MECHANICAL ROOMS	0.7	41	29
CORRIDORS, RESTROOMS, STAIRS & SUPPORT AREAS	0.6	882	529
TOTALS		1,400 AREA	1,295 WATTS

TAILORED METHOD - CONDITIONED SPACES

TOTAL ALLOWED WATTS (From LTG-6-C): _____

UNCONDITIONED SPACES

A	B	C	D
Complete Building and Area Category Methods CATEGORY (From § 149 Table 149-B & C)	WATTS PER (ft²)	AREA PER (ft²)	ALLOWED WATTS
TOTALS		AREA	WATTS

TAILORED METHOD - UNCONDITIONED SPACES

TOTAL UNCONDITIONED SPACES ALLOWED WATTS (From LTG-5-C and LTG-6-C): _____

CONCESSION BUILDING TITLE 24 INDOOR LIGHTING CALCULATIONS

MIG
MOORE IACOFANO GOLTSMAN, INC.
601 N. HARBOR BLVD. FULLERTON, CA 92831
TEL 714/871-3638 FAX 714/871-1188
www.migcorp.com

PITASSI ARCHITECTS, INC.
8439 White Oak Ave., Suite. 105
Rancho Cucamonga, Ca 91730
Tel. 909-980-1361 Fax. 909-944-5814
e-mail. pjpaia@pitassiarchitects.com

CONSULTANT:

LRA ENGINEERS
Electrical Consulting Engineers
1471 Pomona Road, Unit E
Corona, California 92882
Tel: (951) 737-4564 Fax: (951) 737-6819

PERRIS VALLEY Big League Dreams

2155 Trumble Road
Perris, California 92570

SHEET TITLE
CONCESSION BUILDING TITLE 24 LIGHTING CALCULATIONS

100% CONSTRUCTION DOCUMENT

DATE	REVISIONS

STAMP

REGISTERED PROFESSIONAL ENGINEER — CIRILO G. REGALADO — No. E16914 — Exp. 6-30-11 — ELECTRICAL — STATE OF CALIFORNIA

CHECKED BY	DATE
LRA	
DATE 01-07-10	FILE NAME
DRAWN BY CR	SHEET EB-4.3
JOB NO. 05208.00	
SCALE NONE	175 OF 313 SHEETS