

CAISSON SCHEDULE					
COLUMN	REBAR	LENGTH	DIAMETER	Fc' (PSI)	CAP SIZE
W14x43	(8) #8	10'-0"	3'-0"	4000	4'-0"
W14x53	(8) #8	11'-0"	3'-0"	4000	4'-0"
W14x90	(10) #9	22'-0"	4'-0"	6000	NO CAP

NOTES:

*PROVIDE STD. 90° OR 180° HOOKS AT TOP OF VERT. REBARS.

* SEE (2/SD-2) FOR BASE PLATE AND ANCHOR BOLT SCHEDULE

CAISSON DETAIL C


DODGER STADIUM
END PANEL, SEE DTL 8/SD-3
FOUL POLE
-2.0 F.G.
FOUL LINE
SCOREBOARD LOCATION
CROSS WALLS/ (B/SD-3)
FLAGPOLES/ (A/LD-3)
W14x43
W14x90
W14x53
B SP. @ 13'-4"
B SP. @ 12'-0"
B SP. @ 12'-10"
B SP. @ 12'-0"
B SP. @ 13'-4"
W14x53 TYP.
W14x43 TYP.
W14x90 TYP.
W14x43 TYP.
W14x90 TYP.
W14x43 TYP.
W14x90